John Neilson House (Saratoga National Historic Park) HABS No. NY-3317 Bemis Heights Stillwater Saratoga County New York

4725 E 14.0733-041 100

PHOTOGRAPHS

REDUCED COPIES OF MEASURED DRAWINGS WRITTEN HISTORICAL AND DESCRIPTIVE DATA



Historic American Buildings Survey National Park Service Department of the Interior Washington, D.C. 20240

46 TERMAN IA-(Page 1)

HISTORIC AD ERICAN BUILDINGS SURVEY

JCHM NEILSON HOUSE HABS No. NY-3317
(SARATOGA NATIONAL HISTORIC PARK)

Street Address or Location: Bemis Heights, Stillwater, Saratoga County, New York

Present Cymer: National Park Service, U.S. Department of Interior, Saratoga National Mistorical Park, Stillweter, V. Y.

Present Coupant: Saratoga Maticnal Historical Park

Present Use: Interpretive Exhibit

Brief Statement of Significance: (architectural and historical) The John Neilson House is an important landmark for its historical association and as a type of house now very rare. Situated within the American entrenchments on the Saratoga battlefield, it served as the headquarters for the Generals Poor and Arnold during the Saratoga campaign. As a building it is representative of the early frontier settlements of the upper Hudson valley.

PART I. HISTORICAL INFORMATION

A. Physical History

- 1. Criginal and subsequent owners: John Neilson built and owned the house. By inheritance it passed to Charles Neilson, his son; William Neilson, grandson; Charles Neilson, great grandson, who sold the house to the State of New York in 1926.
 - 2. Date of erection: Between 1775 and 1777.
- 3. Architect: Unknown
 Builder, Suppliers, etc.: The house was presumedly built by the owner, and the building naterial came from the neighborhood.
- 4. Original plans, construction etc.: There are no known plans of the house and considering its modest size presumedly there never were any.
- 5. Notes on alterations and additions: An addition was made to the Neilson House adjoining the west wall sometime before 1830. A window was added to the east wall after the

addition and before 1848 and the interior was refinished during the same period. At an unknown date before 1880 the original fireplace was demolished. In 1895 the house was moved 24 feet north and the chimney and front porch was demolished. All the exterior finishes were replaced. In 1926 the house was moved 160 feet south to its present location and turned 90 from south to west; and once more all exterior finishes were replaced, a new fireplace and chimney was built and the interior finishes were repaired.

6. Important old views and references: The earliest view of the house known to exist is a field sketch made by Benson J. Lossing in 1°48. The sketch is illustrated in Lossing's Book "Pictorial Field Book of the Revolution", Harper Brothers, New York, 1851. Photograph by unknown author 1889. Illustrated in "The Cld Baratoga and Burgoyne Campaign" by William Catrander, Schuylerville, N. Y. 1897, Library of Dorothy Webster, Schuylerville, N. Y. Photograph by Jessie F. Wheeler, Mechanicsville, M. Y. 1893 in Baratoga Mational Historical Fark files. Photograph by E. V. Doubleday, Saratoga Springs in library of Saratoga County Historian, Baratoga Springs, N. Y.

Prepared by Culul Cotober 1958
F. C. Gjessing

PART II. ARCHIMOTURAL IMPORMATION (from direct observation)

A. General Statement

- 1. Architectural character (criginal design, how much changed etc.): The house has retained the assertial features of its criginal appearance except for a 7' wide perch which extended across the front of the house. It stands on a higher foundation and was originally about 1'-6" lower than the present building.
- 2. Condition of fabric (structural stability etc.): Well maintained by the National Park Service and open to visitors.
 - B. Technical Description of Exterior
- 1. Overall dimensions: One story Frame with leanto in the rear overall 18 X 24.
- 2. Foundations: Fieldstone, dating from 1926 and higher than original foundation.

- 3. Wall construction: Frame nogged with baked and sundried brick in a clay mortar.
- 4. Porches: None. As previously mentioned, the house had a front porch.
- 5. Chimneys: Fieldstone chimney inside and against south wall, added in 1927.

6. Openings

- a. Doorways and doors: Doors and door trim are original. They have no ornamentation.
- b. Windows and shutters: Small pane, double-hung, old style sash, probably replacements. Two windows out of five have original frame and trim. Simple board shutters with exposed cleats.

7. Roof

- a. Shape, covering: Gable roof framed without ridgepole or ties. Sheathed with horizontal boards and shingled.
- b. Cornice, eaves: Box cornice across front and rear, added in 1927.
- c. Dormers, cupolas: None

C. Technical Description of Interiors

- 1. Floor Plans: First floor Main room 17 X 16-6" is entered directly from the outside. A 12' X 6' room in leanto is entered from main room. Attic above main room.
- 2. Stairways: Stair to attic in southwest corner, not original.
- 3. Flooring: Wide unpainted pine floor boards throughout.
- 4. Wall and ceiling finish: Main room has plastered wall, and ceiling beams were originally exposed. Room in leanto has pine board sheathing on walls and ceiling.
- 5. Doorways and doors: Very simple board doors with exposed cleats.

Addendum to:
John Neilson House
Bemis Heights
Stillwater
Saratoga County
New York

HABS No. NY-3317

HABS NY, 46-BEMHI, I-A-

PHOTOGRAPHS

Historic American Buildings Survey National Park Service Department of Interior Washington, D.C. 20013-7127